




## Diamond Series - Piston



### GS-P197X

<b>T1 Cooling Capacity (Btu/h)</b>	18000
<b>Climate Type</b>	T3
<b>T3 EER for Cooling (Btu/h)/W</b>	10.54
<b>Cooling Power (kW)</b>	1.71kW
<b>Cooling Current (A)</b>	6.8A
<b>Max Input Power (kW)</b>	2.60kW
<b>Max Input Current (A)</b>	13.5A
<b>Air Volume (m3/h)</b>	1000m3/h
<b>Power Supply</b>	220-240V~/50Hz
<b>Max High Pressure (MPa)</b>	3.20MPa
<b>Max Suction Pressure (MPa)</b>	0.8MPa

<b>Inside Noise Level (dB(A))</b>	47dB(A)
<b>Outside Noise Level (dB(A))</b>	57dB(A)
<b>Compressor Type</b>	Reciprocating
<b>Compressor MFG</b>	COPELAND
<b>Compressor Model</b>	CR22K6M-PF1-101MM
<b>Indoor Unit Dimensions (mm)</b>	1082x330x233
<b>Outdoor Unit Dimensions (mm)</b>	830x660x315
<b>Net Weight Indoor Unit (kg)</b>	14kg
<b>Net Weight Outdoor Unit (kg)</b>	54kg
<b>Gross Weight Indoor Unit (kg)</b>	16kg
<b>Gross Weight Outdoor Unit (kg)</b>	58kg
<b>Electric Shock Prevention</b>	Class I
<b>Waterproof Class Indoor</b>	IPX0
<b>Waterproof Class Outdoor</b>	IPX4
<b>Refrigerant</b>	R22
<b>Charge (kg)</b>	1.4kg
<b>Loading Capacity (40' HC)</b>	160

## GS-P267X

<b>T1 Cooling Capacity (Btu/h)</b>	24000
<b>Climate Type</b>	T3
<b>T3 EER for Cooling (Btu/h)/W</b>	10.44
<b>Cooling Power (kW)</b>	2.30kW
<b>Cooling Current (A)</b>	9.3A
<b>Max Input Power (kW)</b>	3.30kW
<b>Max Input Current (A)</b>	16A
<b>Air Volume (m<sup>3</sup>/h)</b>	1250m <sup>3</sup> /h
<b>Power Supply</b>	220-240V~/50Hz
<b>Max High Pressure (MPa)</b>	3.20MPa
<b>Max Suction Pressure (MPa)</b>	0.8MPa
<b>Inside Noise Level (dB(A))</b>	48dB(A)
<b>Outside Noise Level (dB(A))</b>	59dB(A)
<b>Compressor Type</b>	Reciprocating
<b>Compressor MFG</b>	COPELAND
<b>Compressor Model</b>	CR30K6M-PF1-101MM
<b>Indoor Unit Dimensions (mm)</b>	1082x330x233
<b>Outdoor Unit Dimensions (mm)</b>	830x660x315
<b>Net Weight Indoor Unit (kg)</b>	14kg
<b>Net Weight Outdoor Unit (kg)</b>	56kg
<b>Gross Weight Indoor Unit (kg)</b>	17kg
<b>Gross Weight Outdoor Unit (kg)</b>	61kg
<b>Electric Shock Prevention</b>	Class I

<b>Waterproof Class Indoor</b>	IPX0
<b>Waterproof Class Outdoor</b>	IPX4
<b>Refrigerant</b>	R22
<b>Charge (kg)</b>	1.45kg
<b>Loading Capacity (40' HC)</b>	150